

## Hyper Index 1.74/33 Bifocal Curved Top C28 Blank

**ASAHI-LITE®**

Diameter (mm)	Nominal convex curve (D)	Power range at main meridian (D)	Actual convex curve (N=1.53) (D)	Radius of curvature R1 (mm)	Sagitta depth gauge 50 mm bell (mm)	Nominal concave curve (N=1.53) (D)	Center thickness (mm)	Edge thickness (mm)	Add. powers in 0.25 D steps
65	1.00T	-8.25 to -12.00	0,69	763,73	0,409	9,4	5,1	14,8	1.00 to 3.50
70	3.00T	-4.25 to -8.00	2,13	248,99	1,258	7,0	6,3	12,3	1.00 to 3.50
70	5.00T	+2.00 to -4.00	3,54	149,80	2,101	4,8	6,8	8,3	1.00 to 3.50
70	6.75T	+2.25 to +4.00	4,77	111,08	2,850	4,8	7,3	7,3	1.00 to 3.50
65	8.50T	+4.25 to +6.00	6,11	86,80	3,678	4,8	8,3	6,8	1.00 to 3.50
65	10.25T	+6.25 to +8.00	7,28	72,83	4,426	4,8	9,6	6,8	1.00 to 3.50

